

See the most out of your application with N-Vision™. Clean liquid and accurate feedback improves anhydrous application efficiency and effectiveness with no added effort.

N-Vision removes naturally occurring vapor from the tank and plumbing to provide liquid state ammonia to the metering device.




N-Vision shows the operator real-time flow accuracy based on application conditions, field terrain, and tank performance capacities. This results in a consistent application throughout the entire tank.

Pure, clean liquid and real-time application diagnostics redefines your anhydrous success.


N-Vision Benefits

- Immediately identify flow restrictions
- Pull supply tanks dry with confidence
- Tank feed diagnostics result in up to 15% more usable product per tank
- Filters are designed for greatly extended acres before servicing
- Know exactly when to speed-up or slow-down based on supply



How It Works

- ① **Inlet(s)** - Liquid, vapor, tank additives and contaminants enter the housing inlet(s) from the supply tank and plumbing.
- ② **Filtration** - NH_3 passes through the 3D membrane, catching all contaminants, protecting your downstream investment.
- ③ **Separation** - The vapor rises to the vapor head while a measured accumulation of liquid supplies the outlet ports.
- ④ **Vapor Removal** - Vapor is extracted to improve liquid flow through the system and provide diagnostics.
- ⑤ **Outlet(s)** - Pure and clean NH_3 is provided for accurate metering and distribution.



N-Vision Features

TANK FEED DIAGNOSTICS


Real time system feedback

PASSIVE REFRIGERATION

Removes unwanted vapor

3D DEPTH FILTRATION

Multi-layered particle barrier



The bleeder port and valves are located in the cap for easy troubleshooting and system cleaning access.

Visit us online or your CapstanAG Dealer for a demo

www.capstanag.com • 855-628-7722