


REV.	ECR	DESCRIPTION	DATE	By
A	40620	Production Release	7/18/2022	KP

Machine Specific Information


Make	Fast	Total Nozzles	73	<i>Fast 9518TF 60/90' 91' 7 section on 15" spacing</i>
Model	9518TF 60/90'	Nozzle Spacing (IN)	15	
Year		Number of Sections	7	

Boom Layout

Section Number	Number Nozzles	VCM Size	VCM Orientation	Extension Length
Section 1	12	15	Right	40
Section 2	10	15	Right	25
Section 3	10	15	Right	10
Section 4	9	9	Left	5
Section 5	10	15	Left	15
Section 6	10	15	Left	30
Section 7	12	15	Left	45
Section 8				
Section 9				
Section 10				
Section 11				
Section 12				



Boom Folds and Hub Mounting - Count Number of Nozzles to each Point		
Boom Breakaway	7	Nozzle Count Dimension A
Outer Fold	12	Nozzle Count Dimension B (If Applicable)
Inner Fold	22	Nozzle Count Dimension C
Primary Fold	32	Nozzle Count Dimension D
Gateway Location	34.5	Nozzle Count Dimension E. Center Mount = 0



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
REFERENCE ONLY UNLESS
OTHERWISE NOTED
DO NOT SCALE DRAWING
PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
CAPSTAN AG INC. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
CAPSTAN AG INC IS PROHIBITED.

CapstanAG

4225 SW Kirklawn Ave,
Topeka, KS 66609

	Name	Date	TITLE:
Drawn			FAST 9815TF 60/90' x 15"
Checked			
QA APP			
SIZE	DWG No:		REV
A	123051-018		
SCALE: 1:1		SHEET 1 of 1	

THIRD ANGLE PROJECTION