


REV.	ECR	DESCRIPTION	DATE	By
A	40620	Production Release	7/18/2022	KP

Machine Specific Information


Make	FAST	Total Nozzles	54	FAST 9600N 60.90ft BOOM 90' 7 section on 20" spacing
Model	9600N 60.90ft BOOM	Nozzle Spacing (IN)	20	
Year		Number of Sections	7	

Boom Layout

Section Number	Number Nozzles	VCM Size	VCM Orientation	Extension Length
Section 1	9	15	Right	40
Section 2	8	9	Right	25
Section 3	7	9	Right	10
Section 4	6	9	Left	5
Section 5	7	9	Left	15
Section 6	8	9	Left	30
Section 7	9	15	Left	45
Section 8				
Section 9				
Section 10				
Section 11				
Section 12				



Boom Folds and Hub Mounting - Count Number of Nozzles to each Point		
Boom Breakaway	5	Nozzle Count Dimension A
Outer Fold	9	Nozzle Count Dimension B (If Applicable)
Inner Fold	17	Nozzle Count Dimension C
Primary Fold	24	Nozzle Count Dimension D
Gateway Location	26	Nozzle Count Dimension E. Center Mount = 0



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
REFERENCE ONLY UNLESS
OTHERWISE NOTED
DO NOT SCALE DRAWING
PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
CAPSTAN AG INC. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
CAPSTAN AG INC IS PROHIBITED.

CapstanAG 4225 SW Kirklawn Ave,
Topeka, KS 66609

Drawn	Name	Date	TITLE:
Checked			FAST 9600N 60/90' x 20"
QA APP			

SIZE: A DWG No: 123051-023 REV:
SCALE: 1:1 SHEET 1 of 1

THIRD ANGLE PROJECTION